IEEE *Xplore®*
RELEASE 2.4

Welcome United States Patent and Trademark Office

Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Tue, 23 Oct 2007, 7:04:42 PM EST

Edit an existing query or compose a
new query in the Search Query
Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query
  Display
- Combine search queries using
  AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((calculate hash value<in>metadata) <and> (compare<in>metadata))<and>
(update<in>metadata)

#2 ((hash value<in>metadata) <and> (update<in>metadata))<and>
(synchronization or synchronize<in>metadata)

#3 ((hash <in>metadata) <and> (synchronize <in>metadata))<and>
(database<in>metadata)

#4 ((synchronize<in>metadata) <and> (hash <in>metadata))<and> (record
fields<in>metadata)

#5 ((update record field<in>metadata) <and> (hash<in>metadata))

#6 ((update<in>metadata) <and> (code <in>metadata))<and> (host and
remote<in>metadata)

#7 ((update form component<in>metadata) <and> (hash<in>metadata))

#8 (update remote form component with updated remote form
component<in>metadata)

#9 ((synchronize database<in>metadata) <and> (calculate hash
value<in>metadata))

Help   Contact Us   Privac

© Copyright 2006 IE

Indexed by
Inspec®

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	227	(hash and value and updat$4 and compar$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:29
L18	74	1 and @ad<="20030730"	US-PGPUB	OR	ON	2007/10/23 10:29
L19	20	2 and synchroniz$6	US-PGPUB	OR	ON	2007/10/23 10:29
L20	54	2 not 3	US-PGPUB	OR	ON	2007/10/23 10:30
L21	0	(hash and match$4 and updat$4 and calculat$4 and ((form near3 component$2) (field$2)) and synchroniz$7).CLM.	US-PGPUB	OR	ON	2007/10/23 10:30
L22	9	(hash and calculat$4 and ((form near3 component$2) (field$2)) and synchroniz$7).CLM.	US-PGPUB	OR	ON	2007/10/23 10:30
L23	16	(updat$4 and executable and code and hash and match$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:30
L24	0	(connect$4 and remote and host and hash and compar44 and calculat$4 and code and updat$4 and match$4). CLM.	US-PGPUB	OR	ON	2007/10/23 10:31
L25	1	(connect$4 and remote and host and hash and compar$4 and calculat$4 and code and updat$4 and match$4). CLM.	US-PGPUB	OR	ON	2007/10/23 10:31
L26	1	(connect$4 and remote and host and hash and compar$4 and calculat$4 and code and updat$4 and match$4). CLM.	US-PGPUB	OR	ON	2007/10/23 10:32
L27	0	(caus$4 and host and calculat$4 and hash and remote and compar$4 and updat$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:32
L28	59	(receiv$4 and updat$4 and remote and host and match$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:32
L29	30	(receiv$4 and updat$4 and remote and host and match$4 and compar$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:33
L30	8	(synchroniz$6 with database with remote and compar$4 and updat$4). CLM.	US-PGPUB	OR	ON	2007/10/23 10:33
L31	1	(receiv$4 and host and form and components and updat$4 and remote and match$4 and compil$4 and validat$4).CLM.	US-PGPUB	OR	ON	2007/10/23 10:34
L32	0	(receiv$4 and host and form and components and updat$4 and remote and match$4 and compil$4 and validat$4 and synchroniz$7).CLM.	US-PGPUB	OR	ON	2007/10/23 10:35

L33	0	(receiv$4 and host and form and components and updat$4 and remote and match$4 and compil$4 and validat$4 and synchroniz$7).CLM.	US-PGPUB	OR	ON	2007/10/23 10:35

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L49	58	47 and (giles near2 christopher)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 11:04
L48	143	47 and christopher	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 11:03
L47	2864	giles.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 11:01
L46	1	compil$4 with updat$4 with code with form with (component field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 11:00
L45	0	recev$4 with form with (component field) with hash with match$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:48
L44	0	caus$4 with host with calculat$4 with remote with hash with compar$4 with (form near3 (component field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:47
L43	0	updat$4 with remote with executabl with code with host	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:46
L42	0	(receiv$4 with code with updat$4 with hash with match$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:45
L41	0	(receiv$4 with code with updat44 with hash with match$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:45
L40	0	causing with calculat$4 with hash with code with compar$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:44
L39	26104	((compil$4 comput$4 translat$4) with form$2 with type$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:43

EAST Search History

S46	119	S44 and ((compil$4 comput$4 translat$4) with form$2 with type$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:42
S37	972	(comput$4 translat$4 compil$4) with form$2 with (select$4 with type$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:41
L38	550	synchroniz$6 with database with remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:37
S82	7	("20050086199" "20020049764" "20020059256" "20020029214" "20020049751" "20020194207" "20030069874")"."	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
S43	822	(synchroniz$4 with databases) and (retirement investment (line near3 credit) banking insurance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
S9	382	synchroniz$6 with database with remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
S8	11167	707/1,100,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
S1	2551	715/500.1,501.1,505,508.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
L37	982	(synchroniz$4 with databases) and (retirement investment (line near3 credit) banking insurance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
L36	14080	707/1,100,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
L35	3195	715/500.1,501.1,505,508.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36
L34	7	("20050086199" "20020049764" "20020059256" "20020029214" "20020049751" "20020194207" "20030069874")"."	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:36

L17	0	(receiv$4 and host and form and components and updat$4 and remote and match$4 and compil$4 and validat$4 and synchroniz$7).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:35
L16	1	(receiv$4 and host and form and components and updat$4 and remote and match$4 and compil$4 and validat$4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:34
L14	79	(synchroniz$6 with database with remote).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:33
L12	53	(receiv$4 and updat$4 and remote and host and match$4 and compar$4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:33
L11	103	(receiv$4 and updat$4 and remote and host and match$4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:32
L9	0	(caus$4 and host and calculat$4 and hash and remote and compar$4 and updat44).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:32
L8	0	(connect$4 and remote and host and hash and compar44 and calculat$4 and code and updat$4 and match$4). CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:31
L7	26	(updat$4 and executable and code and hash and match$4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:30
L6	10	(hash and calculat$4 and ((form near3 component$2) (field$2)) and synchroniz$7).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:30
L5	0	(hash and match$4 and updat$4 and calculat$4 and ((form near3 component$2) (field$2)) and synchroniz$7).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:30
L4	54	2 not 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:30
L3	20	2 and synchroniz$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:29

EAST Search History

L2	74	1 and @ad<="20030730"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:29
L15	50	14 and @ad<="20030730"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:26
S32	420	synchroniz$6 with database with remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:25
L13	52	12 not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:20
L10	0	(caus$4 and host and calculat$4 and hash and remote and compar$4 and updat$4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:19
		(updat $4 and executable and code and hash and match $4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:05
		(updat$4 and executable and code and hash and match $4).CLM.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:05
S47	89	S46 and @ad<="20030730"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 08:31
		(comput$4 translat$4 compil$4) with (select$ with type$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 08:30
S112	1	S111 and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/17 10:40
S111	1	"20050138216"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/17 10:40
S110	1	S109 and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/16 15:46

S10 9	1	"20020049764"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/16 15:46